


ACTIVESEAM[®] 3

A Revolutionary New Stitch

The first branded stitch, ActiveSeam[®] is a series of technically-superior seams. Proven 30% stronger than flatlock, ActiveSeam[®] features a unique stitch configuration that stretches the full length and width of fabric. ActiveSeam[®] 3 represents the newest development in production solutions.




What's New

- High-lift and differential feed easily handles thick, multi-layer, and difficult fabrics
- Improved feed system joins different-textured fabrics including non-wovens and neoprene
- New stitch width and needle options for medium- to heavy-weight materials
- Fully production-ready solution




30% Stronger
than Flatlock

activeseam[®] 3




Applications

- | | |
|--------------------|-------------------|
| Medical Braces | Athletic Uniforms |
| Safety Gloves | Yoga Apparel |
| Insulating Sleeves | Wetsuits |
| Shapewear | Base Layer |
| Maternity Wear | Hunting Gear |



High-lift cams and differential feed system allow for better handling of thick, multi-layer, and difficult materials.



MB-4DFO-3 Production Series

One machine with three unique stitch configurations and over twelve design options

Two- or three-thread, double row differential machine with cutters for seaming light- to heavy-weight material

2.5 mm minimum stitch width— ActiveSeam® 3 features a lower-profile aesthetic compared to a flatlock stitch

A double row of feed dogs allow for increased material handling and more consistent feed of material

Built-in differential SPI (stitches per inch) settings keep seams consistently flat and reduce letting


High-lift cams create increased clearance between presser foot and needle plate, allowing easier processing of thick, multi-layer material and cross seams

ActiveSeam® 3


Technical Specifications

Seam Type	521
Seam Width	3/32" - 5/16"
	2.5 mm - 8 mm
Operating Speed	5500 rpm
Stitch Eccentric	10-40 spi
Threads	2-3
Installation	Non-submerged
	Submerged

pricing upon request



1 Machine,
3 Unique stitch configurations,
12+ Design options



Thread and stitch differentiation
allow for optimal customization

Want to know how ActiveSeam® 3
can work for your product?

Contact our Stitch Lab™ for help. See page 3

Ask about full production set-ups

- Chain cutter
- Automatic presser foot lifter
- Pneumatic waste
- Needle positioner
- Direct Drive
- and more!

