

# V364.1

2 NEEDLE CHAIN STITCH  
FLAT BED FELLING UNIT




view more



# VI.BE.MAC.

## 2 NEEDLE CHAIN STITCH FLAT BED FELLING UNIT

# V364.1




STRETCH FABRIC



FASHION



QUALITY



### ▷ NEEDLE FEEDING TECHNOLOGY

For the best quality result without puckering effect even on the most difficult stretch denim fabrics

### ▷▷ LARGE TABLE

For a easier and better handling of the panels during the sewing operation, with more comfort for the operator

### ▷▷▷ NEW THREAD TRIMMER

With photocell system and single cut. For a better quality result and lower running costs in the life lasting of the blades and thread saving

## TECHNICAL SPECIFICATIONS

Max Sewing Machine Speed: 3600 rpm

Max Sewing Head Speed: 4000 rpm

Stitching Length: from 0.9 to 5 mm

Sewing Head: Vi.Be.Mac.

Control Box: XCG MFY 2005

Sewing Machine Motor: Mitsubishi

XCG 554 20Y - 550 W

Power Supply Voltage:

220 V Single-Phase 50/60 Hz


Air Consumption: 2 L/min

## NEEDLE GAUGES


- › Standard needle gauge: 1/4" (6.4 mm) 2 needles
- › Optional needle gauges (2 needles): 9/32" (7.2 mm) - 5/16" (8 mm) - 3/8" (9.5 mm) - 5/8" (16 mm)
- › Optional needle gauge (3 needles): 1/2" (12.7 mm)

## FEATURES



- ✓ Semi-dry lubrication system for best lubrication with oil saving
- ✓ DCP (Dynamic Control Pressure) patented technology
- ✓ Auxiliary puller with a belt adjustable in speed to increase material pulling during sewing and consequently increase the finish and quality of sewing
- ✓ Quick lap felling device changing system
- ✓ New design of the stand, with a special cylinder inside the column that makes machine floating for easy adjustment in height




back yoke




back rise



GET IN TOUCH



FOLLOW OUR SOCIALS



**VI.BE.MAC.**



**VI.BE.MAC. S.p.A.**

**Società soggetta a direzione e coordinamento di Jack Europe S.à.r.l.**

Via Monte Pastello, 7/i - 37057 San Giovanni Lupatoto (VR), Italy

[vibemac@vbm-grp.com](mailto:vibemac@vbm-grp.com) - [sales@vbm-grp.com](mailto:sales@vbm-grp.com) - [customercare@vbm-grp.com](mailto:customercare@vbm-grp.com)

Tel. [+39 045 8778151](tel:+390458778151) / [8778152](tel:+390458778152)



[www.vibemac.com](http://www.vibemac.com)

